



CITY COUNCIL MEETING AGENDA

March 7, 2024

Mark Ammel, Mayor
Karen Moore, Mayor Pro Tem
Ronald J. Beauchamp, Council Member
Tyler DuBord, Council Member
Todd Flath, Council Member

James R. McNeil, City Manager
Phil DeMay, City Clerk
Laura J. Genovich, City Attorney

City Council Chambers located at: City Hall – 410 Ludington Street – Room C101 – Escanaba, MI 49829

The Council has adopted a policy to use a Consent Agenda, when appropriate. All items with an asterisk (*) are considered routine by the City Council and will be enacted by one motion. There will be no separate discussion of these items unless a Council Member or citizen so requests, in which event, the item will be removed from the General Order of Business and considered in its normal sequence on the Agenda.

Regular Meeting

Thursday, March 7, 2024, at 7:00 p.m.

CALL TO ORDER

ROLL CALL

INVOCATION/PLEDGE OF ALLEGIANCE

APPROVAL/CORRECTION(S) TO MINUTES – Regular Meeting – February 15, 2024

APPROVAL/ADJUSTMENTS TO THE AGENDA

CONFLICT OF INTEREST DECLARATION(S)

BRIEF PUBLIC COMMENT(S)

PUBLIC HEARINGS – None

UNFINISHED BUSINESS – None

NEW BUSINESS

1. First Reading of Ordinance No. 1287, New D – Local Business Zoning District Ordinance of 2024, and Setting the Date of Thursday, April 4, 2024, for the Second Reading, Public Hearing, and Adoption – Planning & Zoning.

Explanation: Administration is requesting the City Council to consider this the first reading of Ordinance No. 1287, New D – Local Business Zoning District Ordinance of 2024. Administration is requesting that the City Council set April 4, 2024, for the second reading, public hearing adoption of Ordinance No. 1287.

2. Approval – Stump Grinding – Public Works.

Explanation: Administration is requesting City Council approval to retain Dombrowski Tree Service for removal, restoration, and seed for 45 stumps with \$31.50 for restoration for stump grinding. This is a budgeted item for the current amount of stumps.

3. Approval – Trees Cut Down and Removed from Compost Area Bid – Public Works.

Explanation: Administration is seeking City Council approval to have contractor cut down and remove approximately 4.5 acres of trees at no cost to the city.

4. Approval – MPower Mapping Cleanup “Line Tracing” – WTP – Water Department.

Explanation: Administration is requesting City Council approval to retain the services of MPower from Iron Mountain, MI, for water system map cleanup for the City of Escanaba Water Treatment Plant in an amount not to exceed \$4,800.00. Money is budgeted and available for this type of work.

5. Approval – Automation of Wastewater Plant – Wastewater Department.

Explanation: Administration is requesting City Council approval to retain the services of Master Electric of Escanaba, MI, for the automation of the Wastewater Treatment Plant in an amount not to exceed \$35,953.00 to include \$5,000.00 in contingencies. \$30,000.00 is budgeted and available within the fiscal year. The remainder of the money is available through the wastewater fund.

6. Approval – Distribution Inventory Materials – ARPA 1 – Water Department.

Explanation: Administration is requesting City Council approval to purchase Water Distribution inventory materials from ETNA of Marquette, MI, in the amount of \$160,000.00 and Core and Main of DePere, WI, in the amount of \$190,000.00 for a total not to exceed \$350,000.00. Money is available and budgeted for this purchase in the current fiscal year.

7. Approval – Traffic Control Orders (TCO) No. 1015 – 1025 – Department of Public Safety.

Explanation: Administration is seeking City Council approval of TCO's No. 1015 – 1025. Traffic Control Orders expire 90 days from the filing date unless approved by Council. The Traffic Control Orders call for the following:

- No. 1015** – Yield Sign be installed at the intersection of 4th Ave N and N 18th St.
- No. 1016** – Yield Sign be installed at the intersection of 8th Ave N and N 19th St.
- No. 1017** – Yield Sign be installed at the intersection of 10th Ave N and N 20th St.
- No. 1018** – Yield Sign be installed at the intersection of 11th Ave N and N 20th St.
- No. 1019** – Yield Sign be installed at the intersection of 12th Ave S and S 16th St.
- No. 1020** – Yield Sign be installed at the intersection of 14th Ave S and S 15th St.
- No. 1021** – Yield Sign be installed at the intersection of 17th Ave S and S 16th St.
- No. 1022** – Yield Sign be installed at the intersection of 18th Ave S and S 22nd St.
- No. 1023** – Yield Sign be installed at the intersection of 24th Ave S and S 22nd St.
- No. 1024** – Yield Sign be installed at the intersection of Park Ave and 16th Ave S.
- No. 1025** – A Caution Autism Child Sign be placed in front of or near 930 S 17th St.

APPOINTMENTS


BOARD, COMMISSION, AND COMMITTEE REPORTS

GENERAL PUBLIC COMMENT

ANNOUNCEMENTS

ADJOURNMENT

Respectfully Submitted,



James R. McNeil
City Manager

**OFFICIAL PROCEEDINGS
CITY COUNCIL
CITY OF ESCANABA, MICHIGAN
Regular Council Meeting
Thursday, February 15, 2024**

The meeting was called to order by the Honorable Mayor Mark Ammel at 7:00 p.m. in the Council Chambers of City Hall located at 410 Ludington Street.

Present: Mayor Mark Ammel, Council Members, Ronald J. Beauchamp, Tyler DuBord, Todd Flath, and Karen Moore

Absent: None

Also Present: City Manager James R. McNeil, City Clerk Phil DeMay, Department Heads, media, and members of the public.

City Clerk DeMay led Council in the Pledge of Allegiance.

Beauchamp moved, Moore seconded, **CARRIED UNANIMOUSLY**, to approve Regular Meeting minutes from February 1, 2024, as submitted.

ADJUSTMENTS TO THE AGENDA

Flath moved, DuBord seconded, **CARRIED UNANIMOUSLY**, to approve the City Council Agenda as submitted.

CONFLICT OF INTEREST DECLARATION – None

BRIEF PUBLIC COMMENT - None

PUBLIC HEARINGS

PH-1 Public Hearing – Citizen Participation – 2024-25 Fiscal Year Budget Preparation.

A public hearing was conducted to facilitate input from citizens for the City's next fiscal year budget. This was the second of five (5) scheduled public hearings.

This being a public hearing, Mayor Ammel asked for public comment.

Hearing no public comment, Mayor Ammel then closed the public hearing.

UNFINISHED BUSINESS – None

NEW BUSINESS

NB-1 Approval – 2024 Escanaba Aerial Photos - Engineering.

Administration sought City Council approval of the total price as quoted by State of Michigan Imagery and Lidar Program (MiSAIL) as quoted in the amount of \$12,210.90 to complete aerial photos of the City of Escanaba.

NB-1 DuBord moved, Moore seconded, to approve of the total price as quoted by State of Michigan Imagery and Lidar Program (MiSAIL) as quoted in the amount of \$12,210.90 to complete aerial photos of the City of Escanaba.

Upon a call of the roll, the vote was as follows:

Ayes: DuBord, Moore, Beauchamp, Flath, Mayor Ammel

Nays: None

MOTION CARRIED.

NB-2 Approval – Caterpillar Inc. Model 310-07 Mini Excavator – Water Department.

Administration requested City Council approval to purchase a 2023 Caterpillar Inc. Model 310-07 Mini Excavator from Fabick CAT of Marquette, MI, (\$86,900.00) with a trade in of our present John Deere 60G Compact Excavator in an amount not to exceed \$89,000.00 including contingency money.

NB-2 Beauchamp moved, Moore seconded, to approve to purchase a 2023 Caterpillar Inc. Model 310-07 Mini Excavator from Fabick CAT of Marquette, MI, (\$86,900.00) with a trade in of our present John Deere 60G Compact Excavator in an amount not to exceed \$89,000.00 including contingency money.

Upon a call of the roll, the vote was as follows:

Ayes: Beauchamp, Moore, DuBord, Flath, Mayor Ammel

Nays: None

MOTION CARRIED.

NB-3 Approval – Caterpillar Inc. Model 318-07 Wheel Excavator – Water Department.

Administration requested City Council approval to rent/purchase a 2023 CAT M318-07 Wheeled Excavator from Fabick CAT of Marquette, MI, at a cost not to exceed \$325,000 including contingencies.

NB-3 DuBord moved, Moore seconded, to approve to rent/purchase a 2023 CAT M318-07 Wheeled Excavator from Fabick CAT of Marquette, MI, at a cost not to exceed \$325,000 including contingencies.

Upon a call of the roll, the vote was as follows:

Ayes: DuBord, Moore, Beauchamp, Flath, Mayor Ammel
Nays: None

MOTION CARRIED.

NB-4 Approval – Investigation to Deregister from NERC – Electric Department.

Administration sought City Council approval to hire Power System Engineering to investigate whether the City is able to deregister from its current NERC responsibilities in an amount not to exceed \$10,000. Funds were available and budgeted for Professional Services.

NB-4 Moore moved, Beauchamp seconded, to approve to hire Power System Engineering to investigate whether the City is able to deregister from its current NERC responsibilities in an amount not to exceed \$10,000.

Upon a call of the roll, the vote was as follows:

Ayes: Moore, Beauchamp, DuBord, Flath, Mayor Ammel
Nays: None

MOTION CARRIED.

NB-5 Approval – Purchase Renewable Energy Certificates – Electric Department.

Administration sought City Council approval to purchase Renewable Energy Certificates (REC's) at a cost not to exceed \$4.50/REC and a total not to exceed \$135,000. This item was not included in the current budget.

NB-5 Moore moved, Beauchamp seconded, to approve to purchase Renewable Energy Certificates (REC's) at a cost not to exceed \$4.50/REC and a total not to exceed \$135,000.

Upon a call of the roll, the vote was as follows:

Ayes: Moore, Beauchamp, DuBord, Flath, Mayor Ammel
Nays: None

MOTION CARRIED.

APPOINTMENT(S) TO CITY BOARDS, COMMISSIONS, AND COMMITTEES – None

BOARD, COMMISSION, AND COMMITTEE REPORTS

Council Members reviewed City Board and Commission meetings each attended since the last City Council Meeting.

GENERAL PUBLIC COMMENT – None

ANNOUNCEMENTS

- Players de Noc opens February 29th with “Lumberjacks in Love”.
- Bonifas is partnering with the DDA and the Marketplace utilizing the commercial kitchen for their culinary cooking series.

Hearing no further public comment, Flath moved, DuBord seconded, the Council adjourned at 8:02 p.m.

Respectfully submitted,

Phil DeMay
City Clerk

Approved: _____
Mark Ammel, Mayor

Agenda Item: NB-1
Date: 03-07-2024

City Council Agenda Item Request

Date: 2-20-2024

Name: Tyler Anthony

Department: Planning & Zoning

Item: First Reading of "New D - Local Business Zoning District Ordinance of 2024"

Meeting date requested: 3-7-2024

Explanation for request:

At their regular meeting on February 8th, the Planning Commission adopted a resolution to file a recommendation with the City Council regarding a proposed Zoning Map amendment. This amendment is in the form of an ordinance titled "NEW D – LOCAL BUSINESS ZONING DISTRICT ORDINANCE OF 2024".

The Commission recommended that the City Council reject this proposed amendment.

"The city council, upon recommendation from the planning commission, shall either schedule a public hearing or deny the [zoning map amendment]. ... If determined necessary, the City Council may refer the amendment proposal back to the Planning Commission for further consideration. The City Council shall approve or deny the amendment based upon its consideration of the criteria in Sec. 103.4.3" (Zoning Ord. Sec. 103.4.2).



MEMORANDUM

To: City Council

Date: February 20, 2024

From: Planning Commission

Subject: Summary of Public Hearing Comments,
New D – Local Business District
Ordinance of 2024

As a supplement to the Planning Commission's recommendation of a draft amendment on the noted subject, please see this summary of comments. Forwarding a summary of comments, such as is done by this memo, is considered a best practice when amending a zoning ordinance.

This comment was made in person at the Planning Commission's public hearing held on the matter on February 8th.

Opposed (1 Comments).

Chris Williams opposed the zoning map amendment as she felt it was spot zoning. She owns property adjacent to the property subject to the Amendment and notes that because a gas station once occupied the property in question, her property is burdened with environmental cleanup due to leaky underground fuel tanks. She felt that there are plenty of allowances for businesses in "A" zoning districts and there was no need to change the zoning.

Supported (0 Comments).

There were no supporting comments.

bel/TA



ORDINANCE NO. 1287

NEW D – LOCAL BUSINESS ZONING DISTRICT ORDINANCE OF 2024

WHEREAS, The People of the City of Escanaba did establish “An Ordinance to Amend Chapters I-XXII of The Zoning Ordinance as Codified Under Appendix A of the Code of Ordinances” on the 5th day of May 2022, with subsequent amendments thereto, hereinafter “the Zoning Ordinance”, and it is now desired to amend the Zoning Map established therein by adding another zoning district of the class known as “D – Local Business”, NOW THEREFORE, THE PEOPLE OF THE CITY OF ESCANABA HEREBY ORDAIN:

CHAPTER I

The Zoning Ordinance, section 401.3, established the Zoning Map. Said Zoning Map shall now be amended through the addition of a new district of an existing class. The boundaries of said new district shall contain only the following described property:

Lots 8 and 9 of Block 6 of the Lake Shore Drive Addition No. 1 of the City of Escanaba, according to the plat thereof, as recorded in Liber 1216 of Deeds, Page 446, Delta County Records;
Parcel No. 051-210-3606-303-005;
Commonly known as 2730 Lake Shore Drive.

Said new district shall be classified as “D – Local Business”. The surrounding districts’ boundaries shall be adjusted to reflect those of said new district. Further interpretation of district boundaries shall comply with the Zoning Ordinance.

CHAPTER II

SAVINGS CLAUSE

If any section, subsection, sentence, clause, or phrase of this Ordinance is held to be unconstitutional, such decision shall not affect the validity of the remainder of this Ordinance.

The City Council hereby declares that it would have passed this Ordinance, section, subsection, sentence, clause, or phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses, or phrases be declared unconstitutional.

CHAPTER III

CONFLICTING ORDINANCES REPEALING CLAUSE

All Ordinances or parts thereof in conflict with this Ordinance are hereby repealed.

CHAPTER IV

EFFECTIVE DATE

This Ordinance shall be in full force and effect ten (10) days after its passage and publication.

APPROVED:

APPROVED:

Laura Genovich, City Attorney

Mark Ammel, Mayor

Ordinance No. 1287

ATTEST:

Date Approved: _____


Date Published: _____

Phil DeMay, City Clerk

Ordinance No. 1287

I hereby certify that the foregoing constitutes a true and complete copy of an ordinance duly adopted by the City Council of the City of Escanaba, County of Delta, State of Michigan, at a regular meeting held on (Date) day of (Month), 2024. Said meeting was conducted, with public notice given, pursuant to and in full compliance with the Open Meetings Act, being MCL 15.261 et seq. Further, said ordinance was published in the Daily Press, a newspaper of general circulation in the City of Escanaba on (Day), (Month) (Date), 2024. The minutes of said meeting were kept and will be or have been made available as required by said Act.

Phil DeMay, City Clerk



<p>CITY OF ESCANABA PLANNING & ZONING DEPT. 410 LUDINGTON ST.</p>	<p align="center">MAP OF NEW D-LOCAL BUSINESS ZONING DISTRICT ORDINANCE OF 2024</p>	
	<p>DRAWN: T. ANTHONY</p>	<p>DATE: 2/1/2024</p>
	<p><small>NOTE: ALL LOCATIONS ARE APPROXIMATE. CONTACT A PROFESSIONAL SURVEYOR IF LOCATIONS OF PROPERTY LINES AND STRUCTURES ARE NOT POSITIVELY KNOWN.</small></p>	



Hellermann offered, Webber seconded:

CITY OF ESCANABA PLANNING COMMISSION

RESOLUTION No. 24-03

RESOLUTION TO RECOMMEND

DENIAL OF A ZONING MAP AMENDMENT

Whereas, Kenneth and Donna Linder (hereinafter “the Applicant”) submitted an application for a zoning map amendment (hereinafter “the Petition”);

Whereas, The Applicant submitted the Petition for the following described property (hereinafter “the Property”):

Lots 8 and 9 of Block 6 of the Lake Shore Drive Addition No. 1 of the City of Escanaba, according to the plat thereof, as recorded in Liber 1216 of Deeds, Page 446, Delta County Records,
Parcel No. 051-210-3606-303-005,
Commonly known as 2730 Lake Shore Drive;

Whereas, The Planning Commission considered the Petition at a duly noticed public hearing which took place on the 8th Day of February 2024; and

Whereas, The Planning Commission, after reviewing the proposed amendment, all reports and recommendations from staff, consultants, other reviewing agencies, & any public comments, identified and evaluated all factors relevant to the Petition; therefore, be it

RESOLVED, That the Planning Commission adopts a Recommendation to the City Council that they reject the adoption of this Amendment based upon the following facts:

1. There are no substantial reasons why the Property cannot be reasonably used as currently zoned,
2. There is no land use proposed in the Petition, and therefore the question of whether the use is more appropriately handled as a permitted use by right, or as a special land use, in the existing district or another district, is irrelevant,
3. The zone change is supported in the master plan,
4. A change of present district boundaries would be compatible with existing land uses in the area since previous uses already had, and it would not adversely affect property values,
5. While no specific use is proposed, there are not enough adequate sites available elsewhere already properly zoned to accommodate the use associated with the proposed zoning,
6. While the rezoning would constitute a spot zone, granting special privileges to one landowner not available to others, that is the apparent intent of this specific zoning, and it would satisfy an existing need in the area,
7. There may have been a mistake in the original zoning classification,



Mission Statement

Enhancing the enjoyment and livability of our community by providing quality municipal services.

8. The conditions in the area have, currently and historically, supported the proposed zoning,
9. The change will not severely impact traffic, public facilities, or the natural characteristics of the area, nor will it significantly change population density,
10. The proposed change is not out of scale with the needs of the community,
11. If approved, there will probably be no effect on stimulation of similar zoning requests in the vicinity, and there will be a neutral effect on community plans and public services,
12. The proposed change is not precedent setting,
13. The proposed boundary is appropriate; and

RESOLVED, that staff shall file this Recommendation with the City Council and transmit the following thereto:

1. A summary of the comments received at the hearing held on this Amendment,
2. The Amendment itself, and
3. A map depicting this Amendment.

A roll call vote was taken with the following results:

Yes: Webber, Connor, Hellermann, Reynolds;


No: Sadowski, Nelson;

Absent: Harris;

Abstained: None;

RESOLUTION PASSED.

I, Patrick Connor, Chair of the City of Escanaba Planning Commission, do hereby certify that the foregoing constitutes a true and complete copy of a resolution adopted by the Planning Commission of the City of Escanaba, County of Delta, State of Michigan, at the regular meeting held on 11 January 2024.



Patrick Connor, Chair
City of Escanaba Planning Commission



MEMORANDUM

To: City Council

Date: February 20, 2024

From: Planning Commission

Subject: Zoning Map Amendment Procedures

In considering any petition for an amendment to the text of this Ordinance or to the Official Zoning Map, the Planning Commission and City Council shall consider the following criteria that apply to the application in making findings, recommendations, and a decision. The Planning Commission and City Council may also take into account other factors or considerations that are applicable to the application but are not listed below.¹

[In considering zoning map amendments (rezonings), t]he following questions shall be considered:²

- A. Are there substantial reasons why the property cannot be reasonably use as currently zoned? (sic)
- B. Is the use more appropriately handled as a permitted use by right, or as a special land use in the existing district or another district?
- C. Is the zone change supported in the Master Plan?
- D. Would a change of present district boundaries be compatible with existing land uses in the area? Would it adversely affect property values?
- E. Are adequate sites available elsewhere that are already properly zoned to accommodate the proposed use?
- F. Would the rezoning constitute a spot zone granting special privileges to one landowner not available to others?
- G. Was there a mistake in the original zoning classification?
- H. Has there been a change of conditions in the area supporting the proposed rezoning?
- I. Would the change severely impact traffic, public facilities, and the natural characteristics of the area, or significantly change population density?
- J. Is the proposed change out of scale with the needs of the community?
- K. If the change is approved, what will be the probable effect on stimulation of similar zoning requests in the vicinity? Would this secondary effect negatively impact community plans and public services?
- L. Is the proposed change precedent setting?
- M. Is the proposed boundary appropriate?

TA

¹ (City of Escanaba, Code of Ordinances, Appdx. A, Sec. 103.4.2)

² (City of Escanaba, Code of Ordinances, Appdx. A, Sec. 103.4.3(II))



Agenda Item: NB-2
Date: 03-07-2024

City Council Agenda Item Request

Date: 2-22-24

Name: Kent Dubord

Department: Public Works

Item: Stump Grinding

Meeting date requested: 3-7-24

Explanation for request:

Public Works is requesting to retain Dombrowski Tree Service for removal, restoration, and seed for stump grinding. Requesting approval for 25 stumps between 6 and 29 inches for \$70 a stump. There are 20 stumps over 30 inches for \$85 a stump. The restoration costs for topsoil and seed of \$31.50. The goal is to get rid of the biggest stumps on the list and the ones on current city properties.

There are currently 250 stumps that need to be ground. We currently don't have a stump grinder or a versatile enough piece of equipment to ground the stumps. This is a budgeted item for the current amount of stumps. With plans to ground the remaining stumps on the list in the next fiscal year.

Stump Grinding Bid Memorandum

At the council meeting on 11-16-2023, the stump grinding bid was approved to hire Dombrowski Tree Service to ground 45 stumps. At the time with work done for trees the number that would be able to be ground was uncertain. At a minimum the 45 approved needed to be ground. With the approval late in the year, the stumps have been planned to get ground this coming spring.

Speaking with Dombrowski tree service they're willing to do additional stumps at the same cost per stump and the restoration as the original bid.

Work Item	Minimum Quantity	Unit	Proposed Unit Price
Stump Grinding 6 to 29 inches	25	Ea	70
Stump Grinding 30 inches and larger	20	Ea	85
Restoration	45	Ea	31.50

Stumps have been bid out since 2008, as Public Works hasn't had the correct equipment to ground stumps efficiently enough to do them. With the right equipment and attachment in the future, it would make more sense to have Public Works ground the stumps.

Agenda Item: NB-1
Date: 11/16/2023

City Council Agenda Item Request

Date: 11-8-23

Name: Kent Dubord

Department: Public Works

Item: Stump Grinding Bid

Meeting date requested: 11-16-23

Explanation for request:

Public Works is requesting to hire Dombrowski Tree Service for removal, restoration, and seed for 45 stumps with \$31.50 for restoration for the Stump Grinding bid. There are 13 stumps between 6 and 29 inches for \$70 a stump. There are 32 stumps over 30 inches for \$85 a stump. The goal is to get rid of the biggest stumps on the list and the ones on current city properties.

There are currently 200 stumps that need to be ground. We currently don't have a stump grinder or a versatile enough piece of equipment to ground the stumps. The plan is to budget for the machinery to have Public Works ground the smaller stumps next year. This is a budgeted item for the current amount of stumps.

CITY OF ESCANABA RECORD OF BIDS

DATE BIDS OPENED:
DESCRIPTION OF ITEM: Stump Grinding - 2023

11/8/2023

[illegible]

PRESENT:

Kent Dubord

R. Ross

11/8/2023

2:00 PM

BIDDER'S PROPOSAL

We, the Contractor, agree to provide **Stump Grinding**, for the City of Escanaba, Michigan. The work items included in this proposal shall consist of the following:

1. Stump Grinding

- Remove stumps and associated root structure down to a minimum of four inches below the grade at the sidewalk edge.
- Clear removal debris from street and sidewalk.
- Dispose of removal debris in a designated area at the Department of Public Works compost site.

2. Restoration

- Backfill removal areas with topsoil provided by the Department of Public Works.
- Seed topsoil with Mel's Athletic Mix or similar grass seed.

The Contractor also agrees to the following:

- Department of Public Works shall be informed of work schedule. All delays in work shall be reported to the Department of Public Works.
- Miss Dig shall be notified prior to removing any stumps.
- Stumps that cannot be located or ground shall be reported to the Department of Public Works within a timely manner.
- All work shall be completed by June 30, 2024.

Unit prices for each item of work shall be based on minimum quantities below. This estimate may increase or decrease at the discretion of the City of Escanaba at any time.

Work Item	Minimum Quantity	Unit	Proposed Unit Price
Stump Grinding, 6 to 29 inches	13	ea	\$ 70
Stump Grinding, 30 inches and larger	32	ea	\$ 85
Restoration	45	ea	\$ 31.50

Prices F.O.B.: City of Escanaba, Michigan

SUBMITTED BY:

FIRM: Dombrowski Tree Service
ADDRESS: 4404 M Rd Escanaba, Mi
SIGNATURE: [Signature]
PRINTED: Mike Dombrowski
TITLE: Owner
PHONE: 9062804090

INSURANCE REQUIREMENTS

Each bid shall include a certificate of insurance. The City of Escanaba reserves the right to reject any bid based on inadequate insurance coverage. Required minimum coverage is as follows:

Worker's Compensation

Coverage A	Statutory
Coverage B	\$100,000

Comprehensive General Liability

Per occurrence	\$1,000,000
General Aggregate Products/completed operations	\$1,000,000
General Aggregate	\$1,000,000

Comprehensive Automobile Liability

Combined Single Limits	\$1,000,000
------------------------	-------------

The City of Escanaba shall be named as "additional insured" on all certificates. All policies affording coverage required in this section shall further be endorsed to provide a ten (10) day notice to be delivered to the City before any coverage is either reduced or cancelled.

NOTICE TO BIDDERS

Sealed bids will be received by the City of Escanaba at the office of the City Clerk, on or before 2:00 p.m. - local time - on November 8th, 2023.

Bids will be publicly opened and read in the City Council Chambers at said time and date.

Bidder's proposals and/or specifications may be obtained from the office of the City Clerk, located at 410 Ludington Street, Escanaba, Michigan 49829. No bid will be considered unless the proposal from and/or specifications (furnished by the City of Escanaba, Michigan) are properly completed and enclosed in a sealed envelope marked:

STUMP GRINDING - 2023

In addition, the City of Escanaba, Michigan, will not consider any proposal which has not been received prior to the published time and date of bid opening. FAX transmittals will not be accepted.

The City of Escanaba, Michigan, reserves the right to reject any or all bids, or any part thereof, at its discretion and to waive any irregularities in the bidding. The City of Escanaba, Michigan, may also split bids at its discretion. The City further reserves the right to negotiate directly with any or all bidders concerning any matter related to any bid.

All City of Escanaba, Michigan, bids are prepared so as to afford all vendors the equal opportunity for fair and equitable competition. The City of Escanaba, Michigan, assumes no liability or responsibility for any errors or oversights in the preparation and/or publication of bids.

Any questions concerning this bid should be directed to the Director of Public Works Kent Dubord at (906) 786-1842 or kdubord@escanaba.org.

Agenda Item: NB-3
Date: 03-07-2024

City Council Agenda Item Request

Date: 2-27-24

Name: Kent Dubord

Department: Public Works

Item: Trees cut down and removed from compost area

Meeting date requested: 3-7-24

Explanation for request:

Seeking approval to have contractor cut down and remove approximately 4.5 acres of trees at no cost to the city. The contractor agrees to clean the area and from the wood from the compost site. With projects beginning this month more space is needed in the Public Works compost site. This will open more room to store asphalt, topsoil, concrete, leaves, snow, gravel, wood, stone, wood chips, and any other materials. It will also move trees away from the electrical substation. This will allow more clearance and lower the concern of long term problems with trees near the substation.

The bid opening is set for 2pm on Thursday afternoon, March 7th. Results will be emailed shortly after the bid opening, to allow time to view them before the meeting. The attachments show the areas planned to have trees cut down and removed.

NOTICE TO BIDDERS

Sealed bids will be received by the City of Escanaba at the office of the City Clerk, on or before 2:00 p.m. - local time - on March 7th, 2024.

Bids will be publicly opened and read in the City Council Chambers at said time and date.

Bidder's proposals and/or specifications may be obtained from the office of the City Clerk, located at 410 Ludington Street, Escanaba, Michigan 49829. No bid will be considered unless the proposal form and/or specifications (furnished by the City of Escanaba, Michigan) are properly completed and enclosed in a sealed envelope marked:

Cut Trees and Remove-2024

In addition, the City of Escanaba, Michigan, will not consider any proposal which has not been received prior to the published time and date of bid opening. FAX transmittals will not be accepted.

The City of Escanaba, Michigan, reserves the right to reject any or all bids, or any part thereof, at its discretion and to waive any irregularities in the bidding. The City of Escanaba, Michigan; may also split bids at its discretion. The City further reserves the right to negotiate directly with any or all bidders concerning any matter related to any bid.

All City of Escanaba, Michigan, bids are prepared to afford all vendors the equal opportunity for fair and equitable competition. The City of Escanaba, Michigan, assumes no liability or responsibility for any errors or oversights in the preparation and/or publication of bids.

Any questions concerning this bid should be directed to the Director of Public Works Kent Dubord at (906) 786-1842 or kdubord@escanaba.org.

BIDDER'S PROPOSAL

We, the Contractor, agree to cut down all trees in the taped off areas of the compost site and remove for the City of Escanaba. The work items included in this proposal shall consist of the following:

1. Tree Cutting

- Cut down approximately 4.5 acres of taped off areas of trees, circled in the attached paper in the compost area.
- Cut to the base of the stump.
- Remove the wood contractor agrees to cut down from the compost site.

2. Restoration

- Remove the cut down trees from the bid within the compost area.

The Contractor also agrees to the following:

- The Department of Public Works shall be informed of the work schedule. All delays in work shall be reported to the Department of Public Works.
- Miss Dig shall be notified prior to cutting down any trees and removing any stumps.
- Trees that cannot be removed shall be reported to the Department of Public Works within a timely manner.
- All work shall be completed by June 30, 2024.

Unit prices for each item of work shall be based on the minimum quantities below. This estimate may increase or decrease at the discretion of the City of Escanaba at any time. Plans are for the contractor to cut down trees and remove them at no cost to the City of Escanaba. The contractor agrees to remove the wood from the compost area. In addition, the contractor agrees to pull excess stumps from the ground and leave in the compost area.

Work Item	Minimum Quantity	Unit	Proposed Unit Price
Approximate 4.5 acres of trees to cut down and remove		ea	0
Additionally will remove number of excess stumps		ea	0

Prices F.O.B.: City of Escanaba, Michigan

SUBMITTED BY:

FIRM: _____

ADDRESS: _____

SIGNATURE: _____

PRINTED: _____

TITLE: _____

PHONE: _____

INSURANCE REQUIREMENTS

Each bid shall include a certificate of insurance. The City of Escanaba reserves the right to reject any bid based on inadequate insurance coverage. Required minimum coverage is as follows:

Worker's Compensation

Coverage A	Statutory
Coverage B	\$100,000

Comprehensive General Liability

Per occurrence	\$1,000,000
General Aggregate Products/completed operations	\$1,000,000
General Aggregate	\$1,000,000

Comprehensive Automobile Liability

Combined Single Limits	\$1,000,000
------------------------	-------------

The City of Escanaba shall be named as "additional insured" on all certificates. All policies affording coverage required in this section shall further be endorsed to provide a ten (10) day notice to be delivered to the City before any coverage is either reduced or cancelled.



Agenda Item: NB-4
Date: 03-07-2024

City Council Agenda Item Request

Date: 2/26/2024

Name: Jeff Lampi

Department: Water Department

Item: MPower Mapping Cleanup "Line Tracing" - WTP

Meeting date requested: 3/7/2024

Explanation for request:

Administration is requesting Council's approval to retain the services of MPower from Iron Mountain, Michigan, for water system map cleanup for the City of Escanaba Water Treatment Plant in an amount not to exceed \$4,800.00.

Money is budgeted and available for this type of work.

*Memo to be provided by Tuesday.



Sales Quotation

Account Name City of Escanaba
Shipping Address 410 Ludington Street
 Escanaba, MI 49829-0948

Created Date 1/17/2024
Quote Name Mapping cleanup
Quote Number 00001400

Contact Name Terry Flower

Prepared By Rene Droese
Email [REDACTED]

Product	Line Item Description	Quantity	Sales Price	Total Price
Drawing and Mapping	Estimate 4 days of mapping work and trace setup on water system map - time will be tracked and invoiced at the daily rate.	4.00	\$1,200.00	\$4,800.00
Total Price				\$4,800.00

Terms and Conditions

50% deposit required for software, maintenance, deployment or related services. Balance(s) due upon software installation and/or completion of services. mPower services are provided on a time and material basis; travel, lodging and per diem expenses to be reimbursed by customer. This proposal is to be treated as confidential and is not to be viewed by, or shared with, anyone that is not directly or contractually involved in the solicitation, preparation, evaluation or procurement of goods and services as outlined in this proposal.

Agenda Item: NB-5
Date: 03-07-2024

City Council Agenda Item Request

Date: 2/29/2024

Name: Jeff Lampi

Department: Wastewater Department

Item: Automation of Wastewater Plant

Meeting date requested: 3/7/2024

Explanation for request:

Administration is requesting Council's approval to retain the services of Master Electric of Escanaba, MI for the automation of the Wastewater Treatment Plant in an amount not to exceed \$35,953.00 to include \$5,000.00 in contingencies.

*\$30,000.00 is budgeted and available within this fiscal year. The remainder of the money is available through the wastewater fund.

**Memo will come Tuesday.

***High contingency monies are expected because of several unknowns and high degree of technical difficulties that may be encountered.



2/29/24

To: Escanaba Waste Water Treatment Plant

Attn: Jeff Lampi

Re: Electrical Proposal – Additional SCADA Alarms to allow elimination of 2nd shift

We are pleased to submit this proposal for the above referenced project. Our bid is based on plans, walkthrough and the below scope.

We Include Labor, Materials and Tax per the following:

- High and low wet well level
 - FDS will review project drawings first, and then visit the site to verify the drawings.
 - It is assumed the wires are ran and in place.
 - We will locate wiring and add wires as needed
 - Once wires are in place (as PLC inputs) we will construct the PLC alarm, the SCADA screen alarm, and ensure the dialer is properly programmed to call out for the following alarms:
 - High wet well level (float)
 - Low wet well level (float)
 - High wet well level (transducer)
 - Low wet well level (transducer)
- Utility Power Fail Alarms
 - Install new wires for alarms
 - Once wires are in place (as PLC inputs) we will construct the PLC alarm, the SCADA screen alarm, and ensure the dialer is properly programmed to call out for the following alarms:
 - Utility Power Fail
 - Generator Running
 - Generator Fail
 - Power Restored
 - Install new louver in the existing west wall opening.
 - Provide power and controls so louvers open and close based on generator running
- R.A.S. Pumps
 - It is assumed that accurate alarms are currently on the SCADA screen as the provided document states
 - This effort will require PLC program and dialer modifications to ensure the following alarms are properly programmed to call out:
 - R.A.S. Pump #1 Failure
 - R.A.S. Pump #1 VFD Failure
 - R.A.S. Pump #2 Failure
 - R.A.S. Pump #2 VFD Failure
 - R.A.S. Pump #3 Failure
 - R.A.S. Pump #3 VFD Failure

Curt Servant
General Manager / Estimator
2205 N. 19th St.
Escanaba, MI 49829

Telephone (906) 786-4600
Facsimile (906) 786-4972

www.masterelectricinc.net



- Final Clarifier
 - It is assumed that accurate alarm indication is currently in the PLC as the provided document states
 - This effort will require PLC program and dialer modifications to ensure the following alarms are properly programmed to call out:
 - Final Clarifier Failure
 - Final Clarifier Overload
- Heat Exchanger
 - Alarms will not be addressed per the site visit
 - Operators already have alarms that will determine if the heat exchanger system is malfunctioning
- Aeration Basins
 - It is assumed that accurate data for Air Flow is currently brought into the PLC system from field sensors (as displayed on the HMI in the secondary building)
 - This effort will require PLC program and dialer modifications to ensure the following alarms are properly programmed to call out:
 - Aeration Basin #1 Low Air Flow
 - Aeration Basin #2 Low Air Flow
- Flood Alarms
 - It is assumed that accurate alarm indication is currently in the PLC (based on review of drawings in secondary building)
 - This effort will require PLC program and dialer modifications to ensure the following alarms are properly programmed to call out:
 - Flood in headworks Building
 - Flood in Secondary Building
- Alarm Testing
 - FDS will determine how to electrically activate each alarm. Physical alarm activation will be required to test each alarm. Physical alarm activation is to be performed by Operators and Master Electric
 - It is assumed that alarms can be tested without delay – though this needs to be considered for utility power failure and other critical process operations that will need to be interrupted in order to activate an alarm.

Excluded Scope

Our proposal does not include the following:

- After-hours work
- Delays caused by others. It is assumed all equipment will be available for our efforts without interruption.
- Re-programming control of the process (if PLC programming errors are found)
- PLC programming control of any new functions

Total Base Bid: \$30,953.00

** May change due to notes above.*

Curt Servant
General Manager / Estimator
2205 N. 19th St.
Escanaba, MI 49829

Telephone (906) 786-4600
Facsimile (906) 786-4972

www.masterelectricinc.net

Agenda Item: WB-6
Date: 03-07-2024

City Council Agenda Item Request

Date: 2/29/2024

Name: Jeff Lampi

Department: Water Department

Item: Distribution Inventory Materials - ARPA 1

Meeting date requested: 3/7/2024

Explanation for request:

Administration is requesting Council's approval to purchase Water Distribution inventory materials from ETNA of Marquette, MI in the amount of \$160,000.00 and Core and Main of DePere, WI in the amount of \$190,000.00 for a total not to exceed \$350,000.00.

Money is available and budgeted for this purchase in the current fiscal year.

*When lowest cost is not selected it is due to availability, quantity, or an issue with meeting grant requirements.

**Memo to be provided Tuesday.

Bid Item #	QTY Requested	Manufacturer	Part #	Part Description	Etna Core & Main											
					Full order	Bear bones	Price		Bear bones	Full Replacement	Full order	Bear Bones	Price		Bear bones	Full Replacement
1				Polyethylene CTS 2"						\$0.00						\$0.00
2				Grounding Wire- 6 gauge	2000	2000	\$1.79		\$3,586.00	\$3,586.00	2000				\$0.00	\$0.00
3				coupling 1" comp x 1.25" comp fitting	12	12	\$46.50		\$558.00	\$558.00	12				\$0.00	\$0.00
4				ElI, 10" x 45 Deg. DI	2	2	\$280.00		\$560.00	\$560.00	2		\$192.00	imp	\$0.00	\$384.00
5				ElI, 16" x 45 Deg. CI	2	2	\$1,070.00		\$2,140.00	\$2,140.00	2		\$560.00	imp	\$0.00	\$1,120.00
6				ElI, 6" x 45 Deg. CI	6	6	\$137.00		\$822.00	\$822.00	6		\$91.00	imp	\$0.00	\$546.00
7				ElI, 4" x 90 Deg. CI	6		\$107.00		\$642.00	\$642.00	6		\$69.00	imp	\$0.00	\$414.00
8				ElI,6"x90 Deg. DI	6	4	\$167.00		\$668.00	\$1,002.00	6		\$113.00	imp	\$0.00	\$678.00
9				ElI, 8" x 90 Deg. DI	2	2	\$243.00		\$486.00	\$486.00			\$163.00	imp	\$0.00	\$0.00
10				Hydrant, 5.5', EJ	5	5	\$3,450.00		\$17,250.00	\$17,250.00			\$3,200.00		\$0.00	\$0.00
11				Hydrant, 6'0", EJ	12	20	\$3,525.00		\$70,500.00	\$42,300.00			\$3,250.00		\$0.00	\$0.00
12				Hydrant, 6'6", EJ	6	10	\$3,595.00		\$35,950.00	\$21,570.00			\$3,325.00		\$0.00	\$0.00
				5.5' Pacer Hydrant					\$0.00				\$4,025.00		\$0.00	
				6.0' Pacer Hydrant					\$0.00				\$4,100.00		\$0.00	
				6.5' Pacer Hydrant					\$0.00				\$4,175.00		\$0.00	
13				Megalug, 4" OS w/Acc accessories	162		\$56.00		\$0.00	\$9,072.00	162	100	\$65.00		\$6,500.00	\$10,530.00
					162		\$14.60		\$0.00	\$2,365.20	162				\$0.00	\$0.00
14				Megalug, 6" OS w/Acc accessories	500		\$62.00		\$0.00	\$31,000.00	500	100	\$72.00		\$7,200.00	\$36,000.00
					500		\$16.80		\$0.00	\$8,400.00	500				\$0.00	\$0.00
15				megalug, 10" o/s w/Acc accessories	12		\$107.00		\$0.00	\$1,284.00	12	25	\$125.00		\$3,125.00	\$1,500.00
					12		\$25.00		\$0.00	\$300.00	12				\$0.00	\$0.00
16				megalug, 12" os w Acc accessories	138		\$143.00		\$0.00	\$19,734.00	138	6	\$150.00		\$900.00	\$20,700.00
					138		\$26.00		\$0.00	\$3,588.00	138				\$0.00	\$0.00
17				Megalug, 16" OS w/Acc	18		\$265.00		\$0.00	\$4,770.00	18		\$277.00		\$0.00	\$4,986.00
					18		\$41.00		\$0.00	\$738.00	18				\$0.00	\$0.00
18				Megalug, 8" OS w/Acc accessories	108		\$86.00		\$0.00	\$9,288.00	108	50	\$94.00		\$4,700.00	\$10,152.00
					108		\$18.80		\$0.00	\$2,030.40	108				\$0.00	\$0.00
19				10" MJ Std cap	1		\$153.00		\$0.00	\$153.00	1	1	\$98.00		\$98.00	\$98.00
20				Pipe, 6" DI	500		\$28.95		\$0.00	\$14,475.00	500	500	\$28.62		\$14,410.00	\$14,410.00
21				Pipe, 8" DI	500		\$40.85		\$0.00	\$20,425.00	500	300	\$40.65		\$12,195.00	\$20,325.00
22				Pipe, 4" DI	500		\$37.70		\$0.00	\$18,850.00	500	500	\$37.65		\$18,825.00	\$18,825.00
23				Pipe, 10" DI	100		\$53.60		\$0.00	\$5,360.00	100	100	\$53.50		\$5,350.00	\$5,350.00
24				Cap 4" MJ Std	6	4	\$51.00		\$204.00	\$306.00			\$27.00	imp	\$0.00	\$0.00
25				Cap 6" MJ Std	6	4	\$96.00		\$384.00	\$516.00			\$46.00	imp	\$0.00	\$0.00
26				Cap 8" MJ Std	2	2	\$193.00		\$386.00	\$266.00			\$76.00	imp	\$0.00	\$0.00
27				Cap 12" MJ Std	2	2	\$194.00		\$388.00	\$388.00			\$140.00	imp	\$0.00	\$0.00
28				Plug 6", MJ tapped to 2"	5	4	\$142.00		\$568.00	\$710.00			\$74.00	imp	\$0.00	\$0.00
				Please change plug to cap					\$0.00						\$0.00	
29				Reducer, 8" MJ x 6" MJ	10	4	\$160.00		\$640.00	\$1,600.00	10		\$95.00	imp	\$0.00	\$950.00
30				Reducer, 10" MJ x 8"	15	2	\$275.00		\$450.00	\$3,375.00	15		\$135.00	imp	\$0.00	\$2,025.00
31				Reducer, 12" MJ x 6" MJ	10	4	\$332.00		\$1,328.00	\$3,320.00	10		\$161.00	imp	\$0.00	\$1,610.00
32				Reducer, 12" MJ x 10" MJ	10	4	\$368.00		\$1,472.00	\$3,680.00	10		\$182.00	imp	\$0.00	\$1,820.00
33				Sleeve, Solid 4" MJ OS x MJ OS, 12" Lg	54	12	\$354.00		\$4,248.00	\$19,116.00	54		\$320.00	imp	\$0.00	\$17,280.00
34				Sleeve, Solid 8 MJ Dual Purpose L/Acc	18		\$554.00		\$0.00	\$9,972.00	18	10	\$520.00		\$5,200.00	\$9,360.00
35				Sleeve, Solid 10" MJ OS x MJ OS, 12" Lg	4		\$736.00		\$0.00	\$2,944.00	4	6	\$695.00		\$4,170.00	\$2,780.00
36				Sleeve, Solid 12" MJ OS x MJ OS, 12" Lg	46		\$1,500.00		\$0.00	\$69,000.00	46	12	\$1,400.00		\$16,800.00	\$64,400.00
37				Sleeve, Cut-in, 6" MJ OS x 6" Plain End	53		\$900.00		\$0.00	\$47,700.00	53		\$829.00		\$0.00	\$43,937.00
38				Sleeve, Solid 6" MJ OS x MJ OS, 12" Lg	106		\$446.00		\$0.00	\$47,276.00	106	3	\$405.00		\$1,215.00	\$42,930.00
39				Sleeve, Solid 16' MJ OS x MJ OS, 15" Lg	4		\$3,890.00		\$0.00	\$15,560.00	4	2	\$2,825.00		\$5,650.00	\$11,300.00
40				Sleeve, Cut in 4" MJ Os 4" Plain end.	27		\$654.00		\$0.00	\$17,658.00	27		\$603.00		\$0.00	\$16,281.00
41				Sleeve, Cut-In 8" MJ OS x 8" Plain End	36		\$1,145.00		\$0.00	\$41,220.00	36	3	\$1,065.00		\$3,195.00	\$38,340.00
42				Sleeve, Cut-In 10" MJ OS x 10" Plain End	2		\$1,405.00		\$0.00	\$2,810.00	2	2	\$1,350.00		\$2,700.00	\$2,700.00
43				Sleeve, Cut-In, 12" MJ	23		\$1,870.00		\$0.00	\$43,010.00	23	3	\$1,735.00		\$5,205.00	\$39,905.00
44				sleeve, cut in 16" mj os x plain end	3		\$225.00		\$0.00	\$675.00	7	2	\$2,825.00		\$5,650.00	\$19,775.00
45				Tapping Sleeve, 12" x 6"	4		\$1,010.00		\$0.00	\$4,040.00	4	2	\$850.00		\$1,700.00	\$3,400.00
46				Tapping Sleeve, 16" x 6"	2	2	\$2,137.00		\$4,274.00	\$4,274.00	2		\$1,450.00		\$0.00	\$2,900.00
				make sure on core main bid					\$0.00						\$0.00	
				Tee 8" x 8" x 6" MJ Std.	2	2	\$300.00		\$600.00	\$600.00	2		\$208.00	imp	\$0.00	\$416.00

47								\$0.00					\$0.00	
								\$0.00					\$0.00	
48			Tee 8" x 8" x 8" MJ Std.	10	4	\$356.00	\$1,824.00	\$3,560.00	10		\$250.00	imp	\$0.00	\$2,500.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
49			Tee, 10"x 10"x 6" MJ Std.	2	2	\$486.00	\$932.00	\$932.00	2		\$268.00	imp	\$0.00	\$536.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
50			Tee 10" x 10" x 10" MJ Std	5		\$622.00		\$3,110.00	5		\$358.00	imp	\$0.00	\$1,790.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
51			Tee 12" x 12" x 6" MJ Std	12	6	\$564.00	\$4,512.00	\$6,768.00	12		\$339.00	imp	\$0.00	\$4,068.00
			2 quotes for this	6		\$564.00		\$3,384.00	6				\$0.00	\$0.00
								\$0.00					\$0.00	
52			Tee 12" x 12" x 12" MJ Std	10		\$782.00		\$7,820.00	10	3	\$490.00		\$1,470.00	\$4,900.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
53			Valve Box Bottom Section, 30"/EXT	124		\$90.00		\$11,160.00	124	20	\$160.00		\$3,200.00	\$19,840.00
			core main included ext, lid , top					\$0.00					\$0.00	
								\$0.00					\$0.00	
54			Valve Box lid, CI	124		\$20.75		\$2,573.00	124				\$0.00	\$0.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
55			Valve Box Top Section, 26"	124		\$115.00		\$14,260.00	124				\$0.00	\$0.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
56			Valve Box Base, Range #6	124		\$98.00		\$12,152.00	124				\$0.00	\$0.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
57			12" o/s gate valve	23		\$3,800.00		\$87,400.00	23	6	\$3,700.00		\$22,200.00	\$85,100.00
			different quantity on quote					\$0.00					\$0.00	
								\$0.00					\$0.00	
58			16" gate valve	1		\$13,270.00		\$13,270.00	1	1	\$8,900.00		\$8,900.00	\$8,900.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
59			Valve, 4" RW MJ Std x MJ OS, OL	27		\$1,125.00		\$30,375.00	27		\$1,135.00		\$0.00	\$30,645.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
60			Valve, 6" RW MJ Std x MJ OS, OL	1		\$1,385.00		\$1,385.00	1		\$1,350.00		\$0.00	\$1,350.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
61			8" o/s gate valve	18		\$2,085.00		\$37,530.00	18	12	\$2,000.00		\$24,000.00	\$36,000.00
								\$0.00					\$0.00	
								\$0.00					\$0.00	
62			10" o/s gate valve	2		\$3,340.00		\$6,680.00	2	1	\$3,275.00		\$3,275.00	\$6,550.00
								\$0.00					\$0.00	
								\$154,170.00	\$825,123.60			\$0.00	\$181,288.00	\$670,306.00

Agenda Item: NR-7
Date: 03-07-2024

City Council Agenda Item Request

Date: 02/29/2024

Name: John Gudwer

Department: Escanaba Public Safety

Item: Traffic Control Orders

Meeting date requested: March 7th 2024

Explanation for request:

Requesting new Traffic Control Orders at 10 intersections within the city. The intersections would have a Yield sign added. The intersection TCO is attached to this request.

There is also a TCO request for Caution Autism Child signs to be placed in the area of 930 South 17th St. The TCO request is attached.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1015

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **4th Ave N and N 18th St**

at or near the intersection of: **4th Ave N and N 18th St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **4th Ave N and N 18th St**

Sign Direction (Facing):

Sign(s) Location: **NE Corner**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1016

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **8th Ave N and N 19th St**

at or near the intersection of: **8th Ave N and N 19th St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **8th Ave N and N 19th St**

Sign Direction (Facing):

Sign(s) Location: **SE Corner**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1017

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **10th Ave N and N 20th St**

at or near the intersection of: **10th Ave N and N 20th St.**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **10th Ave N and N 20th St**

Sign Direction (Facing):

Sign(s) Location: **NE Corner 10th Ave N**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1018

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **11th Ave N and N 20th St**

at or near the intersection of: **11th Ave N and N 20th St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **11th Ave N and N 20th St**

Sign Direction (Facing):

Sign(s) Location: **SE Corner**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1019

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **12th Ave S and S 16th St**

at or near the intersection of: **12th Ave S and S 16th St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **12th Ave S and S 16th St**

Sign Direction (Facing):

Sign(s) Location: **NE Corner on S 16th St**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/22/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/22/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1020

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **14th Ave S and So 15th St**

at or near the intersection of: **14th Ave S and So 15th St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations:

14th Ave S and So 15th St

Sign Direction (Facing):

Sign(s) Location: **NE Corner of 14th Ave**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1021

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **17th Ave S and S 16th St.**

at or near the intersection of: **17th Ave S and S 16th St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **17th Ave S and S 16th St**

Sign Direction (Facing):

Sign(s) Location: **SE Corner**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1022

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **18th Ave S and S 22nd St**

at or near the intersection of: **18th Ave S and S 22nd St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **18th Ave S and S 22nd St**

Sign Direction (Facing):

Sign(s) Location: **SE Corner**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/22/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/22/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1023

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **24th Ave S and S 22nd St**

at or near the intersection of: **24th Ave S and S 22nd St**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **24th Ave S and S 22nd St**

Sign Direction (Facing):

Sign(s) Location: **NE Corner**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1024

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **Park Ave and 16th Ave S**

at or near the intersection of: **Park Ave and 16th Ave S**

And as a result of said investigation, do hereby direct that: **Yield Sign be installed**

Further that the following controls be placed at the following locations: **Park Ave and 16th Ave S**

Sign Direction (Facing):

Sign(s) Location: **SW Corner**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.

City of Escanaba, Michigan

Traffic Control Order

Distribution:

- ☐ City Manager
- ☐ City Engineer
- ☐ City Clerk
- ☐ Public Works
- ☐ Public Safety

Traffic Control Order Number: 1025

Date of Filing: February 22, 2024

In accordance with Chapter 27 of the Escanaba Code of Ordinances as amended, we have made an investigation of the traffic Conditions on: **930 S 17th St. Escanaba**

at or near the intersection of:

As a result of said investigation, do hereby direct that:

A Caution Autism Child Sign be place in front of or near 930 S 17th St.

Further that the following controls be placed at the following locations:

In front of or near 930 S 17th St.

Sign Direction (Facing): **East and West in front of 930 S 17th St**

Sign(s) Location: **In front of or near 930 S 17th St.**

The following Traffic Control Oder(s) are hereby rescinded: _____

This order shall expire 90 days from date of filing except that upon its approval by the Escanaba City Council, it shall not so expire.

02/29/2024
Date of Filing with City Clerk

Signed: _____
Traffic Engineer

02/29/2024
Received for filing (date)

By: _____
City Clerk

Approved by the City of Escanaba Council on _____
Date

The Traffic Control Order is effective upon posting of the required street signs.